

INSTALLATION INSTRUCTIONS

SUBJECT: CUMMINS REGULATED RETURN FUEL DISTRIBUTION BLOCK

FPE-2018-15
October, 2018
Page 1 of 3

FITMENT: 2007.5 – 2018 6.7L Dodge Cummins

KIT P/N: FPE-CRR-20-0806

ESTIMATED INSTALLATION TIME: 1.5 Hours

KIT CONTENTS:

Item	Description	P/N	Qty
1	Fuel Distribution Block with Integrated 20PSI Regulated Return	FPE-34123	1
2	½" Push Lock CP3 Feed Fittings	FPE-CP3-FEED	2
3	-6AN to M12 Fittings	FPE-306-06-M12DBK	4
4	-6AN 120° to Push Lock Fitting	FPE-436-12006DBLK	1
5	-6AN 90° to Push Lock Fittings	FPE-436-9006DBLK	6
6	-6AN 45° to Push Lock Fitting	FPE-436-4506DBLK	1
7	-6AN Straight to Push Lock Fitting	FPE-436-0106DBLK	1
8	-8AN Straight to Push Lock Fitting	FPE-436-0108DBLK	1
9	-8AN 90° to Push Lock Fittings	FPE-436-9008DBLK	1
10	-8AN 45° to Push Lock Fitting	FPE-436-4508DBLK	2
11	-6 to 9/16"-18 Straight Male Fittings	FPE-AN920-06DBK	5
12	-8 to 3/4"-16 Straight Male Fittings	FPE-AN920-08DBK	4
13	-6AN (3/8") Push Lock Hose	FPE-436-06BLK-6.0	6 ft
14	-8AN (1/2") Push Lock Hose	FPE-436-08BK-4.0	4 ft
15	0 - 60 PSI Stainless Steel-Case Liquid-Filled Gauge with 1 ½" dial	ASH-BY10YPE8CW	1
16	M8x1.25 x 55mm Stainless Steel Socket Head Cap Screws	MMC-91292A156	2
17	12mm Sealing Washers	FPE-DW-12	2
18	1/8" NPT Hex Socket Plugs	FPE-AN932-02DBK	3
19	¾"-16 Hex Socket Plug w/ O-ring	FPE-814-08SDBK	1



CAUTIONS:

- VERIFY THAT YOUR FUEL PUMP/LIFT PUMP CAN OPERATE AT 20+ PSI CONTINUOUSLY OR DAMAGE MAY OCCUR!
- DO NOT USE THE FACTORY RETURN LINE TO RETURN FUEL TO THE TANK. IT IS TOO RESTRICTIVE.
- USE TEFLON TAPE OR ANTISIEZE ON THREADS WHEN INSTALLING A GAUGE IN THE 1/8" NPT PORT(S)



WARNINGS:

- Use of this product may void or nullify the vehicle's factory warranty.
- User assumes sole responsibility for the safe & proper use of the vehicle at all times.
- The purchaser and end user releases, indemnifies, discharges, and holds harmless Fleece Performance Engineering, Inc. from any and all claims, damages, causes of action, injuries, or expenses resulting from or relating to the use or installation of this product that is in violation of the terms and conditions on this page, the product disclaimer, and/or the product installation instructions. Fleece Performance Engineering, Inc. will not be liable for any direct, indirect, consequential, exemplary, punitive, statutory, or incidental damages or fines cause by the use or installation of this product.

INSTALLATION INSTRUCTIONS

FPE-2018-15
October, 2018
Page 2 of 3

-  CP3 Low Pressure Feed
-  Head/Injector Return
-  CP3 Return
-  Rail Return – Applicable only with regulated return distribution block





Visit <https://fleeceperformance.com/resources> for the latest instructions and videos.

For Technical Assistance contact Fleece Performance Engineering at 855-839-5040.

INSTALLATION INSTRUCTIONS

FPE-2018-15
October, 2018
Page 3 of 3



Visit <https://fleeceperformance.com/resources> for the latest instructions and videos.

For Technical Assistance contact Fleece Performance Engineering at 855-839-5040.